

Technical Document  
Alarm Cable 12core Unscreened  
PVC Brown Type 2

webro

Part Number: 255012F-BRN

Description: Alarm Cable 12core 0.22mm<sup>2</sup>  
Unscreened PVC Brown



**Product Construction**

Conductor Material	:	Tinned Copper
Conductor Stranding	:	Stranded, 24(7)awg, 0.22mm <sup>2</sup>
Insulation Material	:	Polyvinyl Chloride (PVC)
Number of Cores	:	12
Core Colours	:	Red, Blue, Yellow, Black, White, Green Orange, Brown, Grey, Pink, Violet, Turquoise
Sheath Material	:	Polyvinyl Chloride (PVC)
Sheath Colour	:	Brown



**Mechanical Characteristics**

Overall Diameter	:	5.4mm ± 0.2mm
Temperature Range	Fixed	-20°C to +70°C
	Flexing	0°C to +70°C
Bend Radius	:	15 x Overall Diameter
Weight	:	46 kg/km

**Electrical Characteristics**

Inner Conductor DC Resistance	:	≤ 100 Ω/km
Voltage Rating	:	30V

**Certifications & Standards**

Manufactured in Accordance to	:	BS 4737 Type 2
Flame Retardancy	:	BS EN 60332-1-2
RoHS 3 Compliant	:	Yes
REACH Compliant	:	Yes
UKCA CPR Classification	:	Fca to EN 50575:2014+A1:2016

Publication Date: 16/03/2023

Revision Number: 2.0

Written by: GB

Authorised by: GB

**Webro Cables & Connectors Ltd**

Vision House, Meadow Brooks Business Park, Meadow Lane, Long Eaton, Nottingham NG10 2GD, UK  
Tel: +44 (0)115 9724483 | Fax: +44 (0)115 9461230 | sales@webro.com | [www.webro.com](http://www.webro.com)

This technical document and its information and images are intended for guidance only. Due to technical improvements, manufacturing changes or commercial factors the product may vary, and we reserve the right without notice or liability to amend the product information.